

Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989
Strain: Blueberry OG
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 2 g

Internal Lab ID: ATL-29694
Received: 06/04/2025
Completed: 06/17/2025
Batch#: EURSTBOG001

Client
Arvida Labs
Lic. #
1291 NW 65th PL Suite B
FORT LAUDERDALE, FL 33309



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/04/2025	Complete
Residual Solvents	06/16/2025	Pass
Microbials	06/05/2025	Pass
Mycotoxins	06/16/2025	Pass
Pesticides	06/17/2025	Pass
Heavy Metals	06/16/2025	Pass
Foreign Matter	06/05/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

ND Total THC	91.18% Total CBD	91.18% Total Cannabinoids
------------------------	----------------------------	-------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.02	ND	ND	9S-HHC	0.03	ND	ND
CBDV	0.02	ND	ND	9R-HHC	0.03	ND	ND
CBDa	0.02	ND	ND	Δ9-THCH	0.02	ND	ND
CBGa	0.02	ND	ND	Δ8-THCH	0.02	ND	ND
CBG	0.02	ND	ND	Δ9-THCP	0.02	ND	ND
CBD	0.02	91.18	1823.6	Δ8-THCP	0.02	ND	ND
THCV	0.02	ND	ND	Δ8-THCO	0.02	ND	ND
Δ8-THCV	0.02	ND	ND	Δ9-THCO	0.02	ND	ND
THCVa	0.02	ND	ND	9(S)-HHCP	0.02	ND	ND
CBN	0.02	ND	ND	9(R)-HHCP	0.02	ND	ND
Δ9-THC	0.02	ND	ND	11-Hydroxy-THC	0.02	ND	ND
Δ8-THC	0.02	ND	ND	1(S)-H4-CBD	0.02	ND	ND
(6aR,9S)-d10-THC	0.02	ND	ND	1(R)-H4-CBD	0.02	ND	ND
(6aR,9R)-d10-THC	0.02	ND	ND	Δ9-THCB	0.02	ND	ND
CBC	0.02	ND	ND	Δ8-THCB	0.02	ND	ND
CBCa	0.02	ND	ND	CBDp	0.02	ND	ND
THCa	0.02	ND	ND	Total		91.18	1823.6

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025; Date Tested: 06/04/2025

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
---	---	-------------------------------




Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 6

Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989

Internal Lab ID: ATL-29694

Client

Strain: Blueberry OG

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/04/2025

Lic. #

Type: Distillate

Completed: 06/17/2025

1291 NW 65th PL Suite B

Unit Weight: 2 g

Batch#: EURSTBOG001

FORT LAUDERDALE, FL 33309

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Acephate	100.0	ND	Pass	Hexythiazox	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	100.0	ND	Pass	Imidacloprid	400.0	ND	Pass
Aldicarb	100.0	ND	Pass	Kresoxim Methyl	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Malathion	200.0	ND	Pass
Bifenazate	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Bifenthrin	100.0	ND	Pass	Methiocarb	100.0	ND	Pass
Boscalid	100.0	ND	Pass	Methomyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Myclobutanil	0	ND	Pass
Carbofuran	100.0	ND	Pass	Naled	250.00	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	1000	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Permethrin	100.0	ND	Pass
Clofentezine	200.0	ND	Pass	Phosmet	100.0	ND	Pass
Coumaphos	100.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	500.0	ND	Pass	Prallethrin	100.0	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Daminozide	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Pyrethrins	500.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethoate	100.0	ND	Pass	Spinetoram	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spinosad	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Spiromesifen	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Spirotetramat	100.0	ND	Pass
Etoxazole	100.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Fipronil	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Flonicamid	100.0	ND	Pass				

Date Tested: 06/17/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)




Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989

Internal Lab ID: ATL-29694

Client

Strain: Blueberry OG

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/04/2025

Lic. #

Type: Distillate

Completed: 06/17/2025

1291 NW 65th PL Suite B

Unit Weight: 2 g

Batch#: EURSTBOG001

FORT LAUDERDALE, FL 33309

Microbials

Pass

Analyte	LOD CFU/g	Limit CFU/g	Result CFU/g	Status
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			NR	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/05/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 06/05/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Arsenic	0.1	0.2	ND	Pass
Cadmium	0.1	0.2	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	0.2	ND	Pass

Date Tested: 06/16/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034




Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

4 of 6

Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989

Internal Lab ID: ATL-29694

Client

Strain: Blueberry OG

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/04/2025

Lic. #

Type: Distillate

Completed: 06/17/2025

1291 NW 65th PL Suite B

Unit Weight: 2 g

Batch#: EURSTBOG001

FORT LAUDERDALE, FL 33309

Residual Solvents

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2,2-Dimethyl-Butane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
2-Methyl-Pentane			ND	Tested
3-Methyl-Pentane			ND	Tested
Acetone	59	750	<59.000	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes		5000	ND	Pass
Chloroform	0.2	2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol			ND	Tested
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	<40.000	Pass
Hexanes		250	ND	Pass
Isobutane			ND	Tested

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/16/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

5 of 6

Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989

Internal Lab ID: ATL-29694

Client

Strain: Blueberry OG

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/04/2025

Lic. #

Type: Distillate

Completed: 06/17/2025

1291 NW 65th PL Suite B

Unit Weight: 2 g

Batch#: EURSTBOG001

FORT LAUDERDALE, FL 33309

Residual Solvents

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Isopentane			ND	Tested
Isopropanol	40	500	ND	Pass
Isopropyl-Acetate			ND	Tested
m+p Xylene			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	<10.000	Pass
Butane	71		ND	Tested
Hexane	5		ND	Tested
Pentane	59		<59.000	Tested
Neopentane			ND	Tested
o-Xylene			ND	Tested
Pentanes		750	ND	Pass
Propane	165	5000	ND	Pass
Tetrahydrofuran			ND	Tested
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/16/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

6 of 6

Mellow Fellow - EU Restore Blend - 2ml Disposable - Blueberry OG

Sample ID: 2506AFL0965.3989

Internal Lab ID: ATL-29694

Client

Strain: Blueberry OG

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/04/2025

Lic. #

Type: Distillate

Completed: 06/17/2025

1291 NW 65th PL Suite B

Unit Weight: 2 g


Batch#: EURSTBOG001

FORT LAUDERDALE, FL 33309

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0226	0.0528		ND	Tested
B2	0.0329	0.0768		ND	Tested
G1	0.0046	0.0107		ND	Tested
G2	0.0108	0.0252		ND	Tested
Ochratoxin A	0.0259	0.0604	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Date Tested: 06/16/2025




Paulo Gonzalez
Laboratory Director
06/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

