

## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083  
Strain: Strawberry Cough  
Matrix: Concentrates & Extracts  
Type: Distillate  
Unit Weight: 1 g

Internal Lab ID: ATL-29780  
Received: 06/05/2025  
Completed: 07/08/2025  
Batch#: EUJOYSC001

Client  
Arvida Labs  
Lic. #  
1291 NW 65th PL Suite B  
FORT LAUDERDALE, FL 33309



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 06/06/2025  | Complete |
| Residual Solvents | 07/07/2025  | Pass     |
| Microbials        | 07/01/2025  | Pass     |
| Mycotoxins        | 07/01/2025  | Pass     |
| Pesticides        | 07/01/2025  | Pass     |
| Heavy Metals      | 06/30/2025  | Pass     |
| Foreign Matter    | 07/01/2025  | Pass     |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Basic Potency

Complete

|                        |                            |                                     |
|------------------------|----------------------------|-------------------------------------|
| <b>ND</b><br>Total THC | <b>18.35%</b><br>Total CBD | <b>90.17%</b><br>Total Cannabinoids |
|------------------------|----------------------------|-------------------------------------|

| Analyte          | LOQ  | Result | Result  | Analyte        | LOQ  | Result       | Result       |
|------------------|------|--------|---------|----------------|------|--------------|--------------|
|                  | %    | %      | mg/unit |                | %    | %            | mg/unit      |
| CBDVa            | 0.02 | ND     | ND      | 9S-HHC         | 0.03 | ND           | ND           |
| CBDV             | 0.02 | ND     | ND      | 9R-HHC         | 0.03 | ND           | ND           |
| CBDa             | 0.02 | ND     | ND      | Δ9-THCH        | 0.02 | ND           | ND           |
| CBGa             | 0.02 | ND     | ND      | Δ8-THCH        | 0.02 | ND           | ND           |
| CBG              | 0.02 | 34.89  | 348.9   | Δ9-THCP        | 0.02 | ND           | ND           |
| CBD              | 0.02 | 18.35  | 183.5   | Δ8-THCP        | 0.02 | ND           | ND           |
| THCV             | 0.02 | ND     | ND      | Δ8-THCO        | 0.02 | ND           | ND           |
| Δ8-THCV          | 0.02 | ND     | ND      | Δ9-THCO        | 0.02 | ND           | ND           |
| THCVa            | 0.02 | ND     | ND      | 9(S)-HHCP      | 0.02 | ND           | ND           |
| CBN              | 0.02 | 18.16  | 181.6   | 9(R)-HHCP      | 0.02 | ND           | ND           |
| Δ9-THC           | 0.02 | ND     | ND      | 11-Hydroxy-THC | 0.02 | ND           | ND           |
| Δ8-THC           | 0.02 | ND     | ND      | 1(S)-H4-CBD    | 0.02 | 5.99         | 59.9         |
| (6aR,9S)-d10-THC | 0.02 | ND     | ND      | 1(R)-H4-CBD    | 0.02 | 12.78        | 127.8        |
| (6aR,9R)-d10-THC | 0.02 | ND     | ND      | Δ9-THCB        | 0.02 | ND           | ND           |
| CBC              | 0.02 | ND     | ND      | Δ8-THCB        | 0.02 | ND           | ND           |
| CBCa             | 0.02 | ND     | ND      | CBDp           | 0.02 | ND           | ND           |
| THCa             | 0.02 | ND     | ND      | <b>Total</b>   |      | <b>90.17</b> | <b>901.7</b> |

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025; Date Tested: 06/06/2025

|                                             |                                           |                               |
|---------------------------------------------|-------------------------------------------|-------------------------------|
| <b>NT</b><br>Not Tested<br>Moisture Content | <b>NT</b><br>Not Tested<br>Water Activity | <b>Pass</b><br>Foreign Matter |
|---------------------------------------------|-------------------------------------------|-------------------------------|



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

2 of 6

## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083

Internal Lab ID: ATL-29780

Client

Strain: Strawberry Cough

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/05/2025

Lic. #

Type: Distillate

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 1 g

Batch#: EUJOYSC001

FORT LAUDERDALE, FL 33309

### Pesticides

Pass

| Analyte              | Limit | Result | Status | Analyte                 | Limit  | Result | Status |
|----------------------|-------|--------|--------|-------------------------|--------|--------|--------|
|                      | PPB   | PPB    |        |                         | PPB    | PPB    |        |
| Abamectin            | 100.0 | ND     | Pass   | Fludioxonil             | 100.0  | ND     | Pass   |
| Acephate             | 100.0 | ND     | Pass   | Hexythiazox             | 100.0  | ND     | Pass   |
| Acequinocyl          | 100.0 | ND     | Pass   | Imazalil                | 100.0  | ND     | Pass   |
| Acetamiprid          | 100.0 | 64.807 | Pass   | Imidacloprid            | 400.0  | ND     | Pass   |
| Aldicarb             | 100.0 | ND     | Pass   | Kresoxim Methyl         | 100.0  | ND     | Pass   |
| Azoxystrobin         | 100.0 | ND     | Pass   | Malathion               | 200.0  | ND     | Pass   |
| Bifenazate           | 100.0 | ND     | Pass   | Metalaxyl               | 100.0  | ND     | Pass   |
| Bifenthrin           | 100.0 | ND     | Pass   | Methiocarb              | 100.0  | ND     | Pass   |
| Boscalid             | 100.0 | ND     | Pass   | Methomyl                | 100.0  | ND     | Pass   |
| Captan               | 700.0 | ND     | Pass   | Mevinphos               | 100.0  | ND     | Pass   |
| Carbaryl             | 500.0 | ND     | Pass   | Myclobutanil            | 0      | ND     | Pass   |
| Carbofuran           | 100.0 | ND     | Pass   | Naled                   | 250.00 | ND     | Pass   |
| Chlorantraniliprole  | 1000  | ND     | Pass   | Oxamyl                  | 500.0  | ND     | Pass   |
| Chlordane            | 100.0 | ND     | Pass   | Paclobutrazol           | 100.0  | ND     | Pass   |
| Chlorfenapyr         | 100.0 | ND     | Pass   | Parathion Methyl        | 100.0  | ND     | Pass   |
| Chlormequat chloride | 1000  | ND     | Pass   | Pentachloronitrobenzene | 150.00 | ND     | Pass   |
| Chlorpyrifos         | 100.0 | ND     | Pass   | Permethrin              | 100.0  | ND     | Pass   |
| Clofentezine         | 200.0 | ND     | Pass   | Phosmet                 | 100.0  | ND     | Pass   |
| Coumaphos            | 100.0 | ND     | Pass   | Piperonyl Butoxide      | 3000   | ND     | Pass   |
| Cyfluthrin           | 500.0 | ND     | Pass   | Prallethrin             | 100.0  | ND     | Pass   |
| Cypermethrin         | 500.0 | ND     | Pass   | Propiconazole           | 100.0  | ND     | Pass   |
| Daminozide           | 100.0 | ND     | Pass   | Propoxur                | 100.0  | ND     | Pass   |
| Diazinon             | 100.0 | ND     | Pass   | Pyrethrins              | 500.0  | ND     | Pass   |
| Dichlorvos           | 100.0 | ND     | Pass   | Pyridaben               | 200.0  | ND     | Pass   |
| Dimethoate           | 100.0 | ND     | Pass   | Spinetoram              | 200.0  | ND     | Pass   |
| Dimethomorph         | 200.0 | ND     | Pass   | Spinosad                | 100.0  | ND     | Pass   |
| Ethoprophos          | 100.0 | ND     | Pass   | Spiromesifen            | 100.0  | ND     | Pass   |
| Etofenprox           | 100.0 | ND     | Pass   | Spirotetramat           | 100.0  | ND     | Pass   |
| Etoxazole            | 100.0 | ND     | Pass   | Spiroxamine             | 100.0  | ND     | Pass   |
| Fenhexamid           | 100.0 | ND     | Pass   | Tebuconazole            | 100.0  | ND     | Pass   |
| Fenoxycarb           | 100.0 | ND     | Pass   | Thiacloprid             | 100.0  | ND     | Pass   |
| Fenpyroximate        | 100.0 | ND     | Pass   | Thiamethoxam            | 500.0  | ND     | Pass   |
| Fipronil             | 100.0 | ND     | Pass   | Trifloxystrobin         | 100.0  | ND     | Pass   |
| Flonicamid           | 100.0 | ND     | Pass   |                         |        |        |        |

Date Tested: 07/01/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083

Internal Lab ID: ATL-29780

Client

Strain: Strawberry Cough

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/05/2025

Lic. #

Type: Distillate

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 1 g

Batch#: EUJOYSC001

FORT LAUDERDALE, FL 33309

### Microbials

Pass

| Analyte                                         | LOD<br>CFU/g | Limit<br>CFU/g | Result<br>CFU/g    | Status |
|-------------------------------------------------|--------------|----------------|--------------------|--------|
| Total Aerobic Count                             | 10           |                | NR                 | NT     |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1            | 1              | Not Detected in 1g | Pass   |
| Bile-Tolerant Gram-Negative Bacteria            |              |                | NR                 | NT     |
| Shiga toxin-producing E. Coli                   | 1            | 1              | Not Detected in 1g | Pass   |
| Salmonella                                      | 1            | 1              | Not Detected in 1g | Pass   |
| Staphylococcus aureus                           | 10           |                | NR                 | NT     |
| Total Combined Yeast and Mold                   | 10           | 100000         | ND                 | Pass   |

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

| Analyte                | Limit<br>% by weight | Result<br>% by weight | Status |
|------------------------|----------------------|-----------------------|--------|
| Packaging Contaminants | 0.01                 | ND                    | Pass   |
| Insects                | 0.01                 | ND                    | Pass   |
| Feces                  | 0.005                | ND                    | Pass   |
| Mold                   | 0.01                 | ND                    | Pass   |
| FM Other               |                      | ND                    | Pass   |
| Hair                   | 0.01                 | ND                    | Pass   |

Document ID:

Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Pass

| Analyte | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|---------|-------------|---------------|----------------|--------|
| Arsenic | 0.1         | 0.2           | ND             | Pass   |
| Cadmium | 0.1         | 0.2           | ND             | Pass   |
| Lead    | 0.1         | 0.5           | ND             | Pass   |
| Mercury | 0.1         | 0.2           | ND             | Pass   |

Date Tested: 06/30/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

4 of 6

## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083

Internal Lab ID: ATL-29780

Client

Strain: Strawberry Cough

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/05/2025

Lic. #

Type: Distillate

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 1 g

Batch#: EUJOYSC001

FORT LAUDERDALE, FL 33309

### Residual Solvents

Pass

| Analyte             | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|---------------------|-------------|---------------|----------------|--------|
| 1,1 Dichloroethene  | 0.7         | 8             | ND             | Pass   |
| Ethylene Dichloride | 0.2         | 2             | ND             | Pass   |
| 1,4-Dioxane         |             |               | ND             | Tested |
| 2,2-Dimethyl-Butane |             |               | ND             | Tested |
| 2,3-Dimethyl-Butane |             |               | ND             | Tested |
| 2-Butanol           |             |               | ND             | Tested |
| 2-Ethoxy-Ethanol    |             |               | ND             | Tested |
| 2-Methyl-Pentane    |             |               | ND             | Tested |
| 3-Methyl-Pentane    |             |               | ND             | Tested |
| Acetone             | 59          | 750           | <59.000        | Pass   |
| Acetonitrile        | 5           | 60            | ND             | Pass   |
| Benzene             | 0.08        | 1             | ND             | Pass   |
| Butanes             |             | 5000          | ND             | Pass   |
| Chloroform          | 0.2         | 2             | ND             | Pass   |
| Cumene              |             |               | ND             | Tested |
| Cyclohexane         |             |               | ND             | Tested |
| Ethanol             | 79          | 5000          | ND             | Pass   |
| Ethyl Acetate       | 20          | 400           | ND             | Pass   |
| Ethyl-Benzene       |             |               | ND             | Tested |
| Ethyl Ether         | 40          | 500           | ND             | Pass   |
| Ethylene Glycol     |             |               | ND             | Tested |
| Ethylene Oxide      | 0.4         | 5             | ND             | Pass   |
| Heptane             | 40          | 5000          | 64.363         | Pass   |
| Hexanes             |             | 250           | ND             | Pass   |
| Isobutane           |             |               | ND             | Tested |

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/07/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

5 of 6

## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083

Internal Lab ID: ATL-29780

Client

Strain: Strawberry Cough

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/05/2025

Lic. #

Type: Distillate

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 1 g

Batch#: EUJOYSC001

FORT LAUDERDALE, FL 33309

### Residual Solvents

Pass

| Analyte            | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|--------------------|-------------|---------------|----------------|--------|
| Isopentane         |             |               | ND             | Tested |
| Isopropanol        | 40          | 500           | ND             | Pass   |
| Isopropyl-Acetate  |             |               | ND             | Tested |
| m+p Xylene         |             |               | ND             | Tested |
| Methanol           | 20          | 250           | ND             | Pass   |
| Methylene Chloride | 10          | 125           | <10.000        | Pass   |
| Butane             | 71          |               | ND             | Tested |
| Hexane             | 5           |               | ND             | Tested |
| Pentane            | 59          |               | <59.000        | Tested |
| Neopentane         |             |               | ND             | Tested |
| o-Xylene           |             |               | ND             | Tested |
| Pentanes           |             | 750           | ND             | Pass   |
| Propane            | 165         | 5000          | ND             | Pass   |
| Tetrahydrofuran    |             |               | ND             | Tested |
| Toluene            | 12          | 150           | ND             | Pass   |
| Trichloroethene    | 2           | 25            | ND             | Pass   |
| Xylenes            | 12          | 150           | ND             | Pass   |

ACCURATE  
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/07/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

6 of 6

## Mellow Fellow - EU Joy Blend - 2ml Disposable - Strawberry Cough

Sample ID: 2506AFL0983.4083

Internal Lab ID: ATL-29780

Client

Strain: Strawberry Cough

Arvida Labs

Matrix: Concentrates & Extracts

Received: 06/05/2025

Lic. #

Type: Distillate

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 1 g


Batch#: EUJOYSC001

FORT LAUDERDALE, FL 33309

### Mycotoxins

Pass

| Analyte          | LOD<br>µg/kg | LOQ<br>µg/kg | Limit<br>µg/kg | Result<br>µg/kg | Status |
|------------------|--------------|--------------|----------------|-----------------|--------|
| B1               | 0.0226       | 0.0528       |                | ND              | Tested |
| B2               | 0.0329       | 0.0768       |                | ND              | Tested |
| G1               | 0.0046       | 0.0107       |                | ND              | Tested |
| G2               | 0.0108       | 0.0252       |                | ND              | Tested |
| Ochratoxin A     | 0.0259       | 0.0604       | 20             | ND              | Pass   |
| Total Aflatoxins |              |              | 20             | ND              | Pass   |



Date Tested: 07/01/2025



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

