

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g

Batch#: 810167769388

FORT LAUDERDALE, FL 33309



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 06/13/2025  | Complete |
| Residual Solvents | 06/19/2025  | Pass     |
| Microbials        | 07/01/2025  | Pass     |
| Mycotoxins        | 06/19/2025  | Pass     |
| Pesticides        | 06/19/2025  | Pass     |
| Heavy Metals      | 06/20/2025  | Pass     |
| Foreign Matter    | 07/01/2025  | Pass     |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Basic Potency

Complete

| ND<br>Total THC |      |        |         | 1.65%<br>Total CBD |      |             |             | 2.06%<br>Total Cannabinoids |  |  |  |
|-----------------|------|--------|---------|--------------------|------|-------------|-------------|-----------------------------|--|--|--|
| Analyte         | LOQ  | Result | Result  | Analyte            | LOQ  | Result      | Result      |                             |  |  |  |
|                 | %    | %      | mg/unit |                    | %    | %           | mg/unit     |                             |  |  |  |
| CBDVa           | 0.00 | ND     | ND      | CBN                | 0.00 | 0.41        | 10.6        |                             |  |  |  |
| CBDV            | 0.00 | ND     | ND      | Δ9-THC             | 0.00 | ND          | ND          |                             |  |  |  |
| CBDa            | 0.00 | ND     | ND      | Δ8-THC             | 0.00 | ND          | ND          |                             |  |  |  |
| CBGa            | 0.00 | ND     | ND      | (6aR,9S)-d10-THC   | 0.00 | ND          | ND          |                             |  |  |  |
| CBG             | 0.00 | ND     | ND      | (6aR,9R)-d10-THC   | 0.00 | ND          | ND          |                             |  |  |  |
| CBD             | 0.00 | 1.65   | 42.8    | CBC                | 0.00 | ND          | ND          |                             |  |  |  |
| THCV            | 0.00 | ND     | ND      | CBCa               | 0.00 | ND          | ND          |                             |  |  |  |
| Δ8-THCV         | 0.00 | ND     | ND      | THCa               | 0.00 | ND          | ND          |                             |  |  |  |
| THCVa           | 0.00 | ND     | ND      | <b>Total</b>       |      | <b>2.06</b> | <b>53.3</b> |                             |  |  |  |

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025; Date Tested: 06/13/2025

|                                      |  |                                    |  |                        |  |
|--------------------------------------|--|------------------------------------|--|------------------------|--|
| NT<br>Not Tested<br>Moisture Content |  | NT<br>Not Tested<br>Water Activity |  | Pass<br>Foreign Matter |  |
|--------------------------------------|--|------------------------------------|--|------------------------|--|



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

2 of 6

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g

Batch#: 810167769388

FORT LAUDERDALE, FL 33309

### Pesticides

Pass

| Analyte              | Limit  | Result | Status | Analyte                 | Limit | Result | Status |
|----------------------|--------|--------|--------|-------------------------|-------|--------|--------|
|                      | PPB    | PPB    |        |                         | PPB   | PPB    |        |
| Abamectin            | 300.0  | ND     | Pass   | Fludioxonil             | 3000  | ND     | Pass   |
| Acephate             | 3000   | ND     | Pass   | Hexythiazox             | 2000  | ND     | Pass   |
| Acequinocyl          | 2000   | ND     | Pass   | Imazalil                | 100.0 | ND     | Pass   |
| Acetamiprid          | 3000   | ND     | Pass   | Imidacloprid            | 3000  | ND     | Pass   |
| Aldicarb             | 100.0  | ND     | Pass   | Kresoxim Methyl         | 1000  | ND     | Pass   |
| Azoxystrobin         | 3000   | ND     | Pass   | Malathion               | 2000  | ND     | Pass   |
| Bifenazate           | 3000   | ND     | Pass   | Metalaxyl               | 3000  | ND     | Pass   |
| Bifenthrin           | 500.0  | ND     | Pass   | Methiocarb              | 100.0 | ND     | Pass   |
| Boscalid             | 3000   | ND     | Pass   | Methomyl                | 100.0 | ND     | Pass   |
| Captan               | 3000   | ND     | Pass   | Mevinphos               | 100.0 | ND     | Pass   |
| Carbaryl             | 500.0  | ND     | Pass   | Myclobutanil            | 3000  | ND     | Pass   |
| Carbofuran           | 100.0  | ND     | Pass   | Naled                   | 500.0 | ND     | Pass   |
| Chlorantraniliprole  | 3000   | ND     | Pass   | Oxamyl                  | 500.0 | ND     | Pass   |
| Chlordane            | 100.0  | ND     | Pass   | Paclobutrazol           | 100.0 | ND     | Pass   |
| Chlorfenapyr         | 100.0  | ND     | Pass   | Parathion Methyl        | 100.0 | ND     | Pass   |
| Chlormequat chloride | 3000   | ND     | Pass   | Pentachloronitrobenzene | 200.0 | ND     | Pass   |
| Chlorpyrifos         | 100.0  | ND     | Pass   | Permethrin              | 1000  | ND     | Pass   |
| Clofentezine         | 500.0  | ND     | Pass   | Phosmet                 | 200.0 | ND     | Pass   |
| Coumaphos            | 100.0  | ND     | Pass   | Piperonyl Butoxide      | 3000  | 3.127  | Pass   |
| Cyfluthrin           | 1000   | ND     | Pass   | Prallethrin             | 400.0 | ND     | Pass   |
| Cypermethrin         | 1000   | ND     | Pass   | Propiconazole           | 1000  | ND     | Pass   |
| Daminozide           | 100.0  | ND     | Pass   | Propoxur                | 100.0 | ND     | Pass   |
| Diazinon             | 200.0  | ND     | Pass   | Pyrethrins              | 1000  | ND     | Pass   |
| Dichlorvos           | 100.0  | ND     | Pass   | Pyridaben               | 3000  | ND     | Pass   |
| Dimethoate           | 100.0  | ND     | Pass   | Spinetoram              | 3000  | ND     | Pass   |
| Dimethomorph         | 3000   | ND     | Pass   | Spinosad                | 3000  | ND     | Pass   |
| Ethoprophos          | 100.0  | ND     | Pass   | Spiromesifen            | 3000  | ND     | Pass   |
| Etofenprox           | 100.0  | ND     | Pass   | Spirotetramat           | 3000  | ND     | Pass   |
| Etoxazole            | 1500.0 | ND     | Pass   | Spiroxamine             | 100.0 | ND     | Pass   |
| Fenhexamid           | 3000   | ND     | Pass   | Tebuconazole            | 1000  | ND     | Pass   |
| Fenoxycarb           | 100.0  | ND     | Pass   | Thiacloprid             | 100.0 | ND     | Pass   |
| Fenpyroximate        | 2000   | ND     | Pass   | Thiamethoxam            | 1000  | ND     | Pass   |
| Fipronil             | 100.0  | ND     | Pass   | Trifloxystrobin         | 3000  | ND     | Pass   |
| Flonicamid           | 2000   | ND     | Pass   |                         |       |        |        |

Date Tested: 06/19/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

3 of 6

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g

Batch#: 810167769388

FORT LAUDERDALE, FL 33309

### Microbials

Pass

| Analyte                                         | LOD   | Limit  | Result             | Status |
|-------------------------------------------------|-------|--------|--------------------|--------|
|                                                 | CFU/g | CFU/g  | CFU/g              |        |
| Total Aerobic Count                             | 10    |        | NR                 | NT     |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1     | 1      | Not Detected in 1g | Pass   |
| Bile-Tolerant Gram-Negative Bacteria            |       |        | NR                 | NT     |
| Shiga toxin-producing E. Coli                   | 1     | 1      | Not Detected in 1g | Pass   |
| Salmonella                                      | 1     | 1      | Not Detected in 1g | Pass   |
| Staphylococcus aureus                           | 10    |        | NR                 | NT     |
| Total Combined Yeast and Mold                   | 10    | 100000 | ND                 | Pass   |

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

| Analyte                | Limit       | Result      | Status |
|------------------------|-------------|-------------|--------|
|                        | % by weight | % by weight |        |
| Packaging Contaminants | 0.01        | ND          | Pass   |
| Insects                | 0.01        | ND          | Pass   |
| Feces                  | 0.005       | ND          | Pass   |
| Mold                   | 0.01        | ND          | Pass   |
| FM Other               |             | ND          | Pass   |
| Hair                   | 0.01        | ND          | Pass   |

Document ID:

Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Pass

| Analyte | LOQ  | Limit | Result | Status |
|---------|------|-------|--------|--------|
|         | µg/g | µg/g  | µg/g   |        |
| Arsenic | 0.1  | 1.5   | ND     | Pass   |
| Cadmium | 0.1  | 0.5   | ND     | Pass   |
| Lead    | 0.1  | 0.5   | ND     | Pass   |
| Mercury | 0.1  | 3     | ND     | Pass   |

Date Tested: 06/20/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

4 of 6

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g

Batch#: 810167769388

FORT LAUDERDALE, FL 33309

### Residual Solvents

Pass

| Analyte             | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|---------------------|-------------|---------------|----------------|--------|
| 1,1 Dichloroethene  | 0.7         | 8             | ND             | Pass   |
| Ethylene Dichloride | 0.2         | 2             | ND             | Pass   |
| 1,4-Dioxane         |             |               | ND             | Tested |
| 2,2-Dimethyl-Butane |             |               | ND             | Tested |
| 2,3-Dimethyl-Butane |             |               | ND             | Tested |
| 2-Butanol           |             |               | ND             | Tested |
| 2-Ethoxy-Ethanol    |             |               | ND             | Tested |
| 2-Methyl-Pentane    |             |               | ND             | Tested |
| 3-Methyl-Pentane    |             |               | ND             | Tested |
| Acetone             | 59          | 750           | ND             | Pass   |
| Acetonitrile        | 5           | 60            | ND             | Pass   |
| Benzene             | 0.08        | 1             | ND             | Pass   |
| Butanes             |             | 5000          | ND             | Pass   |
| Chloroform          | 0.2         | 2             | ND             | Pass   |
| Cumene              |             |               | ND             | Tested |
| Cyclohexane         |             |               | ND             | Tested |
| Ethanol             | 79          | 5000          | <79.000        | Pass   |
| Ethyl Acetate       | 20          | 400           | ND             | Pass   |
| Ethyl-Benzene       |             |               | ND             | Tested |
| Ethyl Ether         | 40          | 500           | ND             | Pass   |
| Ethylene Glycol     |             |               | ND             | Tested |
| Ethylene Oxide      | 0.4         | 5             | ND             | Pass   |
| Heptane             | 40          | 5000          | ND             | Pass   |
| Hexanes             |             | 250           | ND             | Pass   |
| Isobutane           |             |               | ND             | Tested |

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/19/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

5 of 6

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g

Batch#: 810167769388

FORT LAUDERDALE, FL 33309

### Residual Solvents

Pass

| Analyte            | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|--------------------|-------------|---------------|----------------|--------|
| Isopentane         |             |               | ND             | Tested |
| Isopropanol        | 40          | 500           | ND             | Pass   |
| Isopropyl-Acetate  |             |               | ND             | Tested |
| m+p Xylene         |             |               | ND             | Tested |
| Methanol           | 20          | 250           | <20,000        | Pass   |
| Methylene Chloride | 10          | 125           | ND             | Pass   |
| Butane             | 71          |               | ND             | Tested |
| Hexane             | 5           |               | ND             | Tested |
| Pentane            | 59          |               | ND             | Tested |
| Neopentane         |             |               | ND             | Tested |
| o-Xylene           |             |               | ND             | Tested |
| Pentanes           |             | 750           | ND             | Pass   |
| Propane            | 165         | 5000          | ND             | Pass   |
| Tetrahydrofuran    |             |               | ND             | Tested |
| Toluene            | 12          | 150           | ND             | Pass   |
| Trichloroethene    | 2           | 25            | ND             | Pass   |
| Xylenes            | 12          | 150           | ND             | Pass   |

ACCURATE  
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/19/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

6 of 6

## EU Mellow Fellow - M-Fusion 10pcs 500mg Gummies - Calm Blend - Strawberry

Sample ID: 2506AFL0986.4102

Internal Lab ID: ATL-29924

Client

Strain: Strawberry

Arvida Labs

Matrix: Ingestible

Received: 06/10/2025

Lic. #

Type: Soft Chew

Completed: 07/08/2025

1291 NW 65th PL Suite B

Unit Weight: 2.5835 g


Batch#: 810167769388

FORT LAUDERDALE, FL 33309

### Mycotoxins

Pass

| Analyte          | LOD    | LOQ    | Limit | Result | Status |
|------------------|--------|--------|-------|--------|--------|
|                  | µg/kg  | µg/kg  | µg/kg | µg/kg  |        |
| B1               | 0.0226 | 0.0528 |       | ND     | Tested |
| B2               | 0.0329 | 0.0768 |       | ND     | Tested |
| G1               | 0.0046 | 0.0107 |       | ND     | Tested |
| G2               | 0.0108 | 0.0252 |       | ND     | Tested |
| Ochratoxin A     | 0.0259 | 0.0604 | 20    | ND     | Pass   |
| Total Aflatoxins |        |        | 20    | ND     | Pass   |



Date Tested: 06/19/2025



  
Paulo Gonzalez  
Laboratory Director  
07/08/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

